



Auto

## PPF - Ultimate Gloss 200

Choose **PPF Ultimate Gloss 200** for superior, long-lasting protection. Its thick, durable layer defends against stone chips, scratches, and environmental damage while maintaining a deep, glossy shine. The self-healing technology repairs minor marks with heat, keeping your vehicle looking pristine. With a trusted 10-year warranty, you get peace of mind knowing your investment is covered. Ideal for preserving your car's value and appearance, it's a smart choice for drivers who demand the best.

### Technical Performance Data

Gloss Test		Safety Guideline Symbols		Symbol
Clear Gloss	✓	Passed		✓
Haze (Haze Meter NDH5000)	19.85	Failed		X
Water Contact Angle ASTM D5946	105°	Undetermined		!
Solar Energy				
Visible Light Transmittance (VLT)	86%			
UV Rejection	98%			
Stain & Chip Tested				
Acid Rain	✓			
Bird waste & Berries	✓			
Acetone	✓			
Berries	✓			
Stone Chips (Gravelometer)	✓			

For the stain test: The damaging substance rested on the surface for 40mins to 1 hour. After 24 hours no stains were visible on the affected area.

Manufactured Specifications		Strength	
Thickness	200 µm	Elongation M.D ASTM 882	375%
Structure	1 Ply	Tensile Strength M.D. (kg/mm <sup>2</sup> ) ASTM 882	0.904
Composition	TPU	Peel Strength (gr/inch) ASTM D 3330	488
Warranty	10 Years	REACH & RoHS Respected	✓
Colour	Clear		
Stock Code	PPFU		

**For Reference Only:** Technical specifications can differ between batches. Dura Vista retains the right to update this information at any time without notice.

After installation allow 30 – 60 days to cure. Never try to remove bubbles during the curing process. After curing you may clean the windows with soapy water and non-abrasive cloths or sponges and paper towels. Do not attempt to clean the film with chemicals containing ammonia or abrasives.

